

8
03
20
03
03
AD 733 217

THE EFFECTS OF WASTE DISPOSAL
IN THE NEW YORK BIGHT
FINAL REPORT

SECTION 8: LITERATURE CITED

D D C
RECEIVED
APR 5 1972
RECEIVED
D

Approved for public release
Classification Unlimited

SEE AD
245557

17

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) National Oceanic & Atmospheric Administration (NOAA) Sandy Hook Sports Fisheries Marine Laboratory (SHSFML) Highlands, New Jersey 07732		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
3. REPORT TITLE THE EFFECTS OF WASTE DISPOSAL IN THE NEW YORK BIGHT		2b. GROUP	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final report			
5. AUTHOR(S) (First name, middle initial, last name) Sandy Hook Sports Fisheries Marine Laboratory (SHSFML)			
6. REPORT DATE February 1972	7a. TOTAL NO. OF PAGES 17 749	7b. NO. OF REFS 500	
8a. CONTRACT OR GRANT NO. CERC reimbursable order No. 71-36 b. PROJECT NO. No. 69-14		9a. ORIGINATOR'S REPORT NUMBER(S) NONE	
c. d.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) NONE	
10. DISTRIBUTION STATEMENT Approved for public release; distribution unlimited			
11. SUPPLEMENTARY NOTES A report summarizing these data and other CERC-supported research will be prepared soon, and published in the CERC series		12. SPONSORING MILITARY ACTIVITY U.S. Army Coastal Engrg Research Ctr (CERC) 5201 Little Falls Rd. N.W. Washington, D. C. 20016	
13. ABSTRACT Report describes results of studies conducted to obtain data to assess the effects of waste disposal on the marine environment of the New York Bight. The report presents data collected in the area over a 2-year period. It is divided into nine sections: Section No. 1, Introduction; Section No. 2, Benthic Studies, investigations of the benthic meio-fauna and macrofauna distribution in the New York Bight, benthic microbiology, pathological effects of wastes on larger benthic crustaceans, and investigation of basic chemical variables affecting species diversity; Section No. 3, Zooplankton Studies, distribution, seasonal occurrence and vertical migration of zooplankton populations in the dumping grounds; Section 4, Finfish Studies, species distribution and relative abundance, feeding habits, and somatic effects and parasites of fish found in the area; Section No. 5, Chemical Studies, investigations of total organic carbon and distribution of certain abundant heavy metals in the bottom sediments; Section No. 6, Hydrographic Studies, surface and bottom water circulation and temporal changes in the area as inferred from density patterns, surface and bottom drifters, direct current measurements, and by analysis of physical characteristics of the water masses; Section No. 7, Conclusions; Section No. 8, Literature Cited; Section No. 9, Bibliography. The work was done by SHSFML of NOAA under interagency agreement with the Corps of Engineers through CERC. Data obtained under this report have not yet been reviewed by the Corps of Engineers. The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.			

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Waste disposal						
Marine environment						
Benthic microbiology						
Pathological effects						
Benthic crustaceans						
Zooplankton						
Finfish						
Heavy metals						
Drifters						
New York Bight						

THE EFFECTS OF WASTE DISPOSAL

IN THE NEW YORK BIGHT

FINAL REPORT

SECTION 8: LITERATURE CITED

A Report to: The Coastal Engineering Research Center
U. S. Army Corps of Engineers
Little Falls Road
Washington, D. C.

Prepared by: National Marine Fisheries Service
Middle Atlantic Coastal Fisheries Center
Sandy Hook Laboratory
Highlands, New Jersey 07732

February 1972

SECTION 8 - LITERATURE CITED

- American Public Health Association.
1965. Standard Methods for the examination of water and waste water including bottom sediments and sludges. 12th Ed. American Public Health Association, New York. 769 p.
- Armstrong, F. A., P. M. Williams and T. D. Strickland.
1966. Photooxidation of organic matter in sea water by ultraviolet radiation, analytical and other applications. Nature. 211:481-3.
- Atlas, R.
1972. Distribution of oil degrading microorganisms in Raritan Bay. Unpubl. Prog. Rep., Dep. Microbiol., Rutgers Univ., New Brunswick, N. J. 3 p.
- Banse, K.
1964. On the vertical distribution of zooplankton in the sea. In: M. Sears (ed.), Progress in Oceanography, Vol. 2. Pergamon Press, New York.
- Barber, R. T., and D. Krieger.
1970. Growth of phytoplankton in waters from the New York City sludge dumping grounds. Paper given at the 33rd annual meeting of ASLO.
- Barnes, D.
1963. Invertebrate Zoology. W. B. Saunders Co., Philadelphia. 632 p.
- Bertalanffy, L. von, and J. Krywienczyk.
1953. The surface rule in crustaceans. Amer. Natur. 87:107-10.
- Beyer, F.
1968. Zooplankton, zoobenthos, and bottom sediments as related to pollution and water exchange in the Oslofjord. Helgolander wiss. Meeresunters. 17:496-509.
- Bigelow, H. B., and M. Sears.
1939. Studies of the waters of the continental shelf, Cape Cod to Chesapeake Bay. III. A volumetric study of the zooplankton. Memoirs Mus. Comp. Zool. LIV(4).

- Bogorov, V. G.
1958. Perspectives in the study of seasonal changes of plankton and of the number of generations at different latitudes. p. 145-158. In: A. A. Buzzati-Traverso (ed.), Perspectives in Marine Biology. Univ. California Press, Berkeley.
- Brown, B., and M. Ahsanullah.
1971. Effect of heavy metals on mortality and growth. Mar. Poll. Bull. 2(12):182-7.
- Brown, R. B., and E. H. Shenton.
1971. Evaluating waste disposal at sea - The critical role of information management. Contract PH 86-68-203, Bureau of Solid Waste Management, Environmental Protection Agency. 11 p.
- Brown, V. M., V. V. Mitrovic and G. T. Stark.
1968. Effects of chronic exposure to zinc on toxicity of a mixture of detergents and zinc. Water Res. 2:255-63.
- Brungs, W. A.
1969. Chronic toxicity of zinc to the fathead minnow (Pimephales promelas Rafinesque). Trans. Amer. Fish. Soc. 98(2):273-80.
- Bryan, G. W., and L. G. Hummerstone.
1971. Adaptation of the polychaete Nereis diversicolor to estuarine sediments containing high concentrations of heavy metals. I. General observations and adaptation to copper. J. Mar. Biol. Ass. U. K. 51:845-64.
- Buelow, R. W.
1968. Ocean disposal of waste material. p. 311-337. In: Ocean Science and Engineering of the Atlantic Shelf. Trans. Nat. Symposium, Phil., Pa., March 1968. Contrib. N. 28 from Northeast Marine Health Sciences Laboratory, Public Health Service Lab., R. I.
- Bumpus, D. F.
1955. The circulation over the continental shelf south of Cape Hatteras. Trans. Amer. Geophy. Union. 36(4):601-11.
- Bumpus, D. F.
1965. Residual drift along the bottom on the continental shelf in the middle Atlantic bight area. Limnol. Oceanogr. 10(Suppl. 2):R50-R53.

- Bumpus, D. F., and L. M. Lauzier.
1965. Surface circulation on the continental shelf. Amer. Geog. Soc. Folio 7. New York, N. Y. 8 pl.
- Burd, R. S.
1968. A study of sludge handling and disposal. Water Poll. Contr. Res. Ser. Publ. No. WP-20-4, 369 p.
- Butcher, R. W.
1955. Relation between the biology and the polluted condition of the Trent. Verhandl. Int. Ver. Limnol. 12:823-7.
- Chesapeake Biological Laboratory.
1967. Interim report of gross physical and biological effects of overboard spoil disposal. Ref. No. 67-34, 5 p.
- Chipman, W. A., and P. S. Galtsoff.
1949. Effects of oil mixed with carbonized sand on aquatic animals. U. S. Fish Wildl. Serv., Spec. Rep. No. 1, 52 p.
- Connell, J. H., and E. Orlas.
1964. The ecological regulation of species diversity. Amer. Natur. 48(903):399-414.
- Conomos, T. J., D. H. Peterson, P. R. Carlson and D. S. McCulloch.
1970. Movement of seabed drifters in the San Francisco Bay estuary and the adjacent Pacific Ocean. Geol. Surv. Circ. 637-B, p. B1-B8.
- Corwin, N., and B. H. Ketchum.
1956. The iron content of sediment samples in New York Bight obtained during R. V. Caryn Cruise 108, Oct. 19-24, 1956. Woods Hole Oceanogr. Inst. Ref. No. 57-19. (Unpubl. ms.).
- Coull, B. C.
1968. Shallow water meiobenthos of the Bermuda platform. Ph.D. Thesis, Lehigh Univ., Pa.
- Cushing, D. H.
1951. The vertical migration of planktonic crustacea. Biol. Rev. 26(2).
- Dean, D., and H. H. Haskin.
1964. Benthic repopulation of the Raritan River Estuary following pollution abatement. Limnol. Oceanogr. 9(4):551-63.

- Deevey, G. B.
1952. A survey of the zooplankton of Block Island Sound, 1943-46. Bull. Bingham Oceanogr. Coll. 13(3):65-119.
- Deevey, G. B.
1956. Oceanography of Long Island Sound, 1952-54. V. Zooplankton. Bull. Bingham Oceanogr. Coll. 15:113-55.
- Deevey, G. B.
1960. The zooplankton of the surface waters of the Delaware Bay region. Bull. Bingham Oceanogr. Coll. 17(2):1-86.
- Dvizhkov, P. P.
1967. Glutomogenic effects of industrial metals and their compounds. Arkh. Patol. 29:3-11. (In Russian; cited from Halstead, 1970).
- Federal Water Pollution Control Administration.
1968. Water Quality Criteria. Report to the National Technical Advisory Committee to the Secretary of the Interior. 234 p.
- Federal Water Pollution Control Administration.
1969. FWPCA methods for chemical analysis of water and wastes. U. S. Dep. Int. 280 p.
- Fenchel, T. M., and R. J. Reidl.
1970. The sulfide system: a new biotic community underneath the oxidized layer of marine sand bottoms. Mar. Biol. 7(3):255-86.
- Fischer, A. G.
1961. Latitudinal variations in organic diversity. Amer. Sci. 49(1):50-74.
- Fish, C. J.
1936a. The biology of Pseudocalanus minutus in the Gulf of Maine and Bay of Fundy. Biol. Bull. 70(2):193-216.
- Fish, C. J.
1936b. The biology of Oithona similis in the Gulf of Maine and Bay of Fundy. Biol. Bull. 76(1):168-87.
- Gibson, L. B.
1966. Some unifying characteristics of species diversity. Cont. Cushman Found. Foram. Res. 17(4):117-24.

- Gray, I. E.
1957. A comparative study of the gill area of crabs. Biol. Bull. 112:34-42.
- Great Lakes Laboratory.
1971. Chromium, cadmium, arsenic, selenium, mercury and aquatic life: a brief literature review. State Univ. Coll. Buffalo, Great Lakes Lab., Spec. Rep. No. 9, 20 p. (mimeo).
- Greenberg, Arnold E.
1956. Survival of enteric organisms in sea water. Public Health Reports. 71(1).
- Grice, G. D., and A. D. Hart.
1962. The abundance, seasonal occurrence and distribution of the epizooplankton between New York and Bermuda. Ecol. Monogr. 32(4):287-309.
- Grigg, R. W., and R. S. Kiwala.
1970. Some ecological effects of discharged wastes on marine life. Calif. Fish and Game. 56:145-55.
- Gross, M. G.
1970. Preliminary analyses of urban wastes, New York metropolitan region. State Univ. New York, Mar. Sci. Res. Center, Tech. Rep. No. 5, 35 p.
- Gross, M. G., J. A. Black, R. J. Kalin, J. R. Schramel and R. N. Smith.
1971. Survey of marine waste deposits, New York metropolitan region. State Univ. New York, Mar. Sci. Res. Center, Tech. Rep. No. 8, 72 p.
- Gross, M. G., B. A. Morse and C. A. Barnes.
1969. Movement of near-bottom waters on the continental shelf off the northwestern United States. J. Geophys. Res. 74(28):7044-7.
- Gross, M. G., and I. E. Wallen.
1968. Recommendations for studies on wastes disposal practices in the coastal waters off New York Harbor. Special Report prepared by Office of Oceanography and Limnology, Smithsonian Institution, Washington, D. C. 30 p. March 31, 1968 (attached to this report as Appendix 1-A).
- Halstead, B. W.
1970. Toxicity of marine organisms caused by pollutants. FAO Technical Conference on Marine Pollution, Rome. FIR:MP/70/R-6, 21 p.

- Harrison, W., J. J. Norcross, N. A. Pore and E. M. Stanley.
1967. Circulation of shelf waters off the Chesapeake Bight; surface and bottom drift of continental shelf waters between Cape Henlopen, Delaware and Cape Hatteras, North Carolina, June 1963-December 1964. ESSA Prof. Paper No. 3, p. 1-81.
- Hartung, R.
1969. Sediment polluting oils as depots for chlorinated hydrocarbon insecticides. Amer. Chem. Soc., Div. Water, Air and Waste Chem., 158th National Meeting.
- Haydu, E. P.
1968. (Unpubl. data). p. 86. Cited in: U. S. National Technical Advisory Committee on Water Quality Criteria, Water Quality Criteria; Report to the Secretary of the Interior. Federal Water Pollution Control Administration, Washington, D. C.
- Heinle, D. R.
1966. Production of a calanoid copepod, Acartia tonsa, in the Patuxent River estuary. Chesapeake Sci. 7(2):59-75.
- Hem, J. D.
1970. Chemical factors that influence the availability of iron and manganese in aqueous systems. U. S. Geol. Surv., Menlo Park, Calif. 29 p.
- Hemphill, F. E., M. L. Kaeberle and W. B. Buck.
1971. Lead suppression of mouse resistance to Salmonella typhimurium. Science. 172:1031-2.
- Herman, S. S.
1963. Vertical migration of the opossum shrimp, Neomysis americana Smith. Limnol. Oceanogr. 8(2):228-38.
- Herman, S. S., J. A. Mihursky and A. J. McErlean.
1968. Zooplankton and environmental characteristics of the Patuxent River estuary, 1963-65. Chesapeake Sci. 9(2):67-82.
- Hess, E.
1937. A shell disease in lobsters (Homarus americanus) caused by chitinovorous bacteria. J. Biol. Res. Bd. Canada 3:358-62.
- Hlavka, G. E.
1971. Measuring some of Man's effects on the southern California coastal marine environment. Report to: IEEE International Conference on Engineering in the Ocean Environment. 11 p.

- Hock, C. W.
1940. Decomposition of chitin by marine bacteria. Biol. Bull. 79:199-206.
- Hock, C. W.
1941. Marine chitin-decomposing bacteria. J. Mar. Res. 4:99-106.
- Holme, N. A.
1954. The ecology of British species of Ensis. J. Mar. Biol. Ass. U. K. 33:145-72.
- Holme, N. A., and A. D. McIntyre.
1971. Methods for the study of marine benthos. IBP Handbook No. 16. Blackwell Scientific Publications, Oxford and Edinburgh. 334 p.
- Horne, R. A., A. J. Mahler and R. C. Rossello.
1971. The marine disposal of sewage sludge and dredge spoil in the waters of the New York Bight. Woods Hole Oceanogr. Inst., Tech. Memo. 1-71. (Unpubl. ms.).
- Howe, M. E.
1962. Some direct measurements of the non-tidal drift on the continental shelf between Cape Cod and Cape Hatteras. Deep-Sea Res. 9:445-55.
- Jannasch, H. W., K. Eimhjellen, C. O. Wirsen and A. Farmanfarmaian.
1971. Microbial degradation of organic matter in the deep sea. Science. 171:672-5.
- Jefferies, H. P.
1959. Plankton biology of Raritan Bay. Ph.D. Thesis, Rutgers Univ. N.J.
- Johnson, R. G.
1970. Variations in diversity within benthic marine communities. Amer. Natur. 104(937):285-300.
- Jones, P., and A. Folkard.
1971. Hydrographic observations in the eastern Irish Sea with particular reference to the distribution of nutrient salts. J. Mar. Biol. Ass. U. K. 51:159-82.
- Kahn, L., and F. Brezenski.
1967. Determination of nitrate in estuarine waters. Environ. Sci. and Tech. 1(6):489.
- Ketchum, B. H.
1969. Eutrophication of estuaries. Eutrophication: causes, consequences, correctives. Proceedings of a Symposium, Nat. Acad. Sci., Washington, D. C. p. 197-208.

- Ketchum, B. H.
 1970. Ecological effects of sewer sludge disposal at sea. Water Pollution Control Federation Convention, Session No. 16, Boston, Massachusetts. 10 p.
- Ketchum, B. H., A. C. Redfield and J. C. Ayers.
 1951. The oceanography of the New York Bight. Paper Phys. Oceanogr. Meteorol. 12(1):1-46.
- Ketchum, B. H., V. S. Yentsch and N. Corwin.
 1958. Some studies of the disposal of iron wastes at sea. Woods Hole Oceanogr. Inst. Ref. No. 58-55. 59 p. (Unpubl. ms.).
- Kinne, O., and H. Rosenthal.
 1967. Effects of sulfuric water pollutants on fertilization, embryonic development and larvae of the herring, Clupea harengus. Mar. Biol. 1(1):65-83.
- Krumbein, W. C., and F. J. Pettijohn.
 1938. Manual of sedimentary petrography. Appleton-Century-Crofts, Inc., New York. 549 p.
- Lear, D. W., Jr.
 1963. Occurrence and significance of chitinoclastic bacteria in pelagic waters and zooplankton. In: C. Oppenheimer (ed.), Symposium on Marine Microbiology. Charles C. Thomas, Springfield, Illinois. 769 p.
- MacKay, D. W., W. Halcrow and I. Thornton.
 1972. Sludge dumping in the Firth of Clyde. Mar. Poll. Bull. 3(1):7-10.
- MacKay, D. W., and G. Topping.
 1970. Preliminary report on the effects of sludge disposal at sea. Effluent and Water Treatment Journal.
- Mandelli, E. F.
 1969. The inhibitory effects of copper on marine phytoplankton. Contrib. Mar. Sci., Vol. 14.
- McIntyre, A. D.
 1968. Ecology of marine meiobenthos. Biol. Rev. 44:245-90.
- McNulty, J. K.
 1970. Effects of abatement of domestic sewage pollution on the benthos, volumes of zooplankton, and the fouling organisms of Biscayne Bay, Florida. Stud. Trop. Oceanogr., Miami. 9:107, 19 fig.

- Milieskovsky, S. A.
1970. The influence of pollution on pelagic larvae of bottom invertebrates in marine nearshore and estuarine waters. *Mar. Biol.* 6:350-6.
- Miller, A. R.
1952. A pattern of surface coastal circulation inferred from surface salinity-temperature data and drift bottle recoveries. Woods Hole Oceanogr. Inst., Woods Hole, Mass. 14 p.
- Ministry of Technology, Water Pollution Research Laboratory.
1968. Water pollution research, 1968. Her Majesty's Stationery Office, London. 195 p.
- Mitrovic, V. V.
1970. Sublethal effects of pollutants on fish. FAO Technical Conference on Marine Pollution, Rome. Paper FIR:MP/70/R-30, 10 p.
- Moore, H. B.
1931. The muds of the Clyde Sea area, III. Chemical and physical conditions, rate and nature of sedimentation and fauna. *J. Mar. Biol. Ass. U. K.* 17:280-371.
- Mount, D. I., and C. E. Stephan.
1969. Chronic toxicity of copper to the fathead minnow (Pimephales promelas) in soft water. *J. Fish. Res. Bd. Canada* 26(9):2449-57.
- Paine, R. T.
1966. Food web complexity and species diversity. *Amer. Natur.* 100(910):65-75.
- Pearce, J. B.
1969. The effects of waste disposal in the New York Bight-Interim Report for January 1, 1970. Sandy Hook Laboratory. 100 p.
- Pearce, J. B.
1971. Indicators of solid waste pollution. *Mar. Poll. Bull.* 2(1):11.
- Pippy, J. H. C., and G. M. Hare.
1969. Relationship of river pollution to bacterial infection in salmon (Salmo salar) and suckers (Catostomus commersoni). *Trans. Amer. Fish. Soc.* 98(4):685-90.
- Polyanskii, Y. I.
1955. Parasites of the fish of the Barents Sea. *Trans. Zool. Inst. Acad. Sci. U.S.S.R.* Vol. 19. (Translated for the U. S. Dep. Int. and NSF, Washington, D. C., TT66-51047).

- Portmann, J. E.
1970. A discussion of the results of acute toxicity tests with marine organisms, using a standard method. FAO Technical Conference on Marine Pollution, Rome. Paper FIR:MP/70/E-31, 13 p.
- Raymont, J. E. G., and J. Shields.
1964. Toxicity of copper and chromium in the marine environment. p. 275-290. In: Recommended Procedures for the Bacteriological Examination of Sea Water and Shellfish. American Public Health Association, New York.
- Redfield, A. C., and L. A. Walford.
1951. Disposal of chemical wastes at sea. Nat. Acad. Sci. Nat. Res. Council., Publ. No. 201, 49 p.
- Rhoads, D. C., and D. K. Young.
1970. The influence of deposit-feeding organisms on sediment stability and community trophic structure. J. Mar. Res. 28(2):150-78.
- Riley, J. P., and G. Skirrow.
1955. Chemical Oceanography. Vol. 1. Academic Press Inc., New York. 508 p.
- Rosen, Baruch.
1967. Shell disease of the blue crab, Callinectes sapidus. J. Invert. Pathol. 9:348-53.
- Ryther, J., and W. Dunstan.
1971. Nitrogen, phosphorus and eutrophication in coastal marine areas. Science. 171:1008-13.
- Saila, S. B., T. T. Polgar and B. A. Rodgers.
1968. Results of studies related to dredged sediment dumping in Rhode Island Sound. Proc. Ann. Northeastern Regional Antipollution Conf., Univ. Rhode Island, R. I. p. 71-80.
- Sanders, H. C.
1958. Benthic studies in Buzzards Bay. I. Animal-sediments relationships. Limnol. Oceanogr. 3:245-58.
- Sanders, H. C.
1968. Marine benthic diversity: a comparative study. Amer. Natur. 102(925):243-82.
- Sanders, H. L., P. C. Mangelsdorf, Jr. and G. R. Hampson.
1965. Salinity and faunal distribution in the Pocasset River, Massachusetts. Limnol. Oceanogr. 10(Suppl.):R216-29.

- Sawyers, W. H., and C. C. Taylor.
1949. The effect of shell disease on the gills and chitin of the lobster (Homarus americanus). Mar. Dep. Sea and Shore Fish. Res. Bull. No. 1. 10 p.
- Segal, E.
1970. Light. p. 159-211. In: O. Kinne (ed.), Marine Ecology, Vol. 1. Environmental Factors, Part 1. John Wiley and Sons, New York.
- Shelton, R. G.
1970. The effects of the dumping of sewage sludge on the fauna of the outer Thames Estuary. C. M. 1970/E:8, International Council for the Exploration of the Sea. 9 p.
- Sindermann, C. J.
1970. Principal diseases of marine fish and shellfish. Academic Press, Inc., New York. 369 p.
- Smith, P. F.
1968. An evaluation of the Richardson current meter system. Presented at the 1968 Marine Technology Society's Instrumentation Committee Symposium on Current Instruments and Techniques, July 10, 1968, Washington, D. C.
- Smyth, J. D.
1942. A note on the morphology and cytology of the branchiae of Carcinus maenas. Proc. Roy. Irish Acad. 48:105-18.
- Spight, T. M.
1967. Species diversity: a comment on the role of the predator. Amer. Natur. 101(922):467-74.
- Stewart, H. B., Jr.
1958. Upstream bottom currents in New York Harbor. Science. 127:1113-5.
- Stirling, E. A.
1970. Some observations on the response of the benthic bivalve Tellina tenuis to pollutants. Proc. Int. Council Explor. Sea, C. M. 1970/E:15, Fisheries Improvement Committee. 6 p.
- Strickland, J. D., and T. R. Parsons.
1968. A practical handbook of sea water analysis. Fish. Res. Bd. Canada, Bull. 167, 203 p.

- Thomas, H. J.
1954. The oxygen uptake of the lobster (Homarus vulgaris Edw.). J. Exp. Biol. 31:228-51.
- Tietjen, J. H.
1968. The ecology of shallow water meiofauna in two New England estuaries. Oecologia (Berlin). 2:251-91.
- Tulkki, P.
1968. Effect of pollution on the benthos off Gothenburg. Helgol. wissen. Meeresuntersuchungen. 17(1-4):209-15.
- Tyneside Joint Sewage Board.
1969. Technical appendices for investigation of methods of treatment and disposal of sludge from Howdon Sewage Treatment Works. Newcastle Upon Tyne 1, 84 p.
- Waksman, A., C. L. Carey and H. W. Reuszer.
1933. Marine bacteria and their role in the cycle of life in the sea. I. Decomposition of marine plant and animal residues by bacteria. Biol. Bull. 65:57-79.
- Wieser, W.
1959. The effect of grain size on the distribution of small invertebrates inhabiting the beaches of Puget Sound. Limnol. Oceanogr. 4(2):181-94.
- Wilder, D. G.
1952. The relative toxicity of certain metals to lobsters. J. Fish. Res. Bd. Canada. 8(7):486-7.
- Wilhm, J. L.
1967. Comparison of some diversity indices applied to populations of benthic macroinvertebrates in a stream receiving organic wastes. J. Water Poll. Con. Fed. 39(10):1673-83.
- Wilhm, J. L., and T. C. Dorris.
1966. Species diversity of benthic macroinvertebrates in a stream receiving domestic and oil refinery effluents. Amer. Mid. Natur. 76(2):427-49.
- Wilhm, J. L., and T. C. Dorris.
1968. Biological parameters for water quality criteria. Bioscience. 18(6):477-81.

- Wilson, C. B.
1932. The copepods of the Woods Hole region, Massachusetts.
U. S. Nat. Mus., Bull. 158. 633 p.
- Woodhead, P. M., and A. J. Lee.
1960. A new instrument for measuring residual currents near the
sea bed. Conseil Intern. Exploration Mer, Hydrographical
Comm. No. 12, Annual Meeting, 1960. 6 p.
- Yamazi, I.
1962. Zooplankton communities of the Navesink and Shrewsbury
Rivers and Sandy Hook Bay, New Jersey. Bur. Sport Fish.
Wildl., Tech. Paper No. 1.
- ZoBell, C. E.
1939. Occurrence and activity of bacteria in marine sediments.
In: Recent Marine Sediments. The American Association
of Petroleum Geologists, Tulsa, Oklahoma.
- ZoBell, C. E., and S. C. Rittenberg.
1938. The occurrence and characteristics of chitinoclastic
bacteria in the sea. J. Bacteriol. 35:275-87.